

DAKTRONICS QUOTE # 640859-1-0

Concord High School
 John Wilford
 4200 Concord Blvd
 Concord, CA USA 94521
 Phone: (925)285-4521
 Fax: (925)682-4613
 Email:

5/Feb/2018
 Quote valid for: 90 days
 Terms: Net 30 days from shipment with
 Purchase Order
 Subject to Credit Review
 FCA: DESTINATION
 Delivery: Call for production time

Reference: Baseball/Softball
All pricing in accordance with Monterey County Office of Education
Contract #AEPA IFB #016-I.

Item No.	Model	Description	Qty	Price
1	BA-2030-A-PV-F	PanaView® Baseball/Softball Scoreboard; Scoreboard Color: _____; Caption Color: _____ Cabinet Dimensions: 6' 6" H X 20' 0" W X 0' 8" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: AMBER Max Power: 900 watts/display Weight: Unpackaged 600 lbs per display; Packaged 925 lbs per display	2	\$19,854.00
	AS-5010 Kit	All Sport® 5010 Control Console Kit	2	
	Outdoor Scoreboard Radio Communication (Transmitter)	Frequency of 2.4 GHz	2	
	Radio Receiver	Frequency of 2.4 GHz	2	
	Stripe; 0A-1091-1289	Border Stripe for BA-2030 Scoreboards; Color: _____	2	
	I-Beam Mounting Method (A)	For 2 I-Beams	2	
2	Physical Installation	See attachment A.	1	\$17,420.00
	System Startup	Final Commissioning of Equipment	1	
3	Taxes	Subject to change - 8.75%	1	\$1,737.23
4	FREIGHT	Shipping to site via Partial Load	1	\$1,265.00
Services				
5	G5C5-W	Five Year Warranty - Parts Coverage - G5G5	1	

Total Price Including Sales Tax: \$40,276.23

Please reference listed sales literature: DD1628383 for G5C5-W, DD2467046 for BA-2030-A-PV-F, SL-03991 for AS-5010 Kit, SL-04370 for Outdoor Scoreboard Radio Communication (Transmitter), SL-04370 for Radio Receiver

Options

Please contact your sales representative for additional information

Angle Clamp Mounting Method (A)	For 2 Tubes	2	
Outdoor Non-Backlit 2' 0" x 20' 0" Horizontal	Ad Panel, Above or Below Display	4	\$4,248.00
I-Beam Mounting Method (A)	For 2 I-Beams	4	
Angle Clamp Mounting Method (A)	For 2 Tubes	4	

Leasing Program

If your purchase exceeds \$25,000, you may qualify for our leasing program allowing you more flexibility to spread out the cost of your Daktronics display over of a period up to five (5) years. Benefits of our leasing program include fixed rate financing, non-appropriation clause, no prepayment penalty, and customizable payment schedules. Plus, at the end of the lease, the equipment is yours to keep with no additional balloon payments.

Sample payment options as follows:

- \$50,000 in total equipment cost = \$10,700 per year
- \$100,000 in total equipment cost = \$21,199 per year
- \$250,000 in total equipment cost = \$52,899 per year

Payments based on 5 year/annual payment in advance structure. **Leasing is subject to credit approval and agreed upon documentation with Daktronics lending partner. Contact your Daktronics representative for additional options and details.

Exclusions:

- Structure
- Power
- Engineering Certification
- Applicable Permits
- Front End Equipment
- Foundation
- Hoist
- Labor to Pull Signal Cable
- Electrical Switch Gear or Distribution Equipment

Unless expressly stated otherwise in this Quote # 640859-1 Rev 0 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Installation Responsibilities:

If applicable please reference Attachment A for Installation Responsibilities.

Ad/ID Copy Approval Process

Daktronics will process your proofs on orders that include advertising and identification panels. Your digital files and copy layouts should conform to graphic file standards document, SL-04116. The digital data files and copy layouts must be submitted at the time of your order and our proofs need to be approved two weeks prior to your initial anticipated ship date. Advertising and identification panels not receiving proof approvals in time will be shipped without copy in our standard finish.

Chris Wagoner
PHONE: 510-579-4431
FAX: 605-697-4746
EMAIL: Chris.Wagoner@daktronics.com

Gary Delaney
PHONE: 605-692-0200
FAX: 605-692-0381
EMAIL: Gary.Delaney@daktronics.com

Terms And Conditions:

The Terms and Conditions which apply to this order available on request.

- SL-02375 Standard Terms and Conditions of Sale (www.daktronics.com/terms_conditions/SL-02375.pdf)
- SL-02374 Standard Warranty and Limitation of Seller's Liability (www.daktronics.com/terms_conditions/SL-02374.pdf)
- SL-07862 Software License Agreement (www.daktronics.com/terms_conditions/SL-07862.pdf)
- SL-04116 Graphic File Standards (www.daktronics.com/terms_conditions/SL-04116.pdf)

Acceptance:

The Undersigned has actual authority to execute this document and Daktronics, Inc is relying upon such authority.

The parties hereby acknowledge and agree that the terms and conditions contained within this Quote along with the terms and conditions of the Daktronics Standard Terms and Conditions, the Standard Warranty and Limitations of Liability, and/or the Software License Agreement (together, the "Terms and Conditions") constitute the full and final understanding of the parties regarding the sale of equipment and/or the provision of services and entirely replace and supersede any previous understanding or agreement between the parties. By executing this agreement, Purchaser acknowledges that it has had opportunity and means to review the Terms and Conditions as provided in the website addresses above. In the alternative, hardcopy of these Terms and Conditions will be provided upon request. Further it is acknowledged and agreed that the price of the equipment and/or the provision of services contained within this agreement are expressly conditioned upon Purchaser's acceptance of the Terms and Conditions without change. Any modification of the Terms and Conditions may require a corresponding change in price. Accordingly, the Purchaser acknowledges and agrees to these Terms and Conditions as evidenced by its attestation below.

Customer Signature

Date

Print Name

Title



Purchase Order Information:

Concord High School

PO# _____

PO Date _____

Purchaser hereby confirms that the equipment is to be delivered to, and may be installed by Purchaser or Daktronics (as indicated elsewhere herein) at the address indicated on page one (1) of the agreement unless otherwise specified below:

<input type="checkbox"/> Same as Bill to	
Ship To:	

Company	

Contact Person	

Address	

City	

State	Zip
_____	_____
Telephone	

Fax	

Email	

<input type="checkbox"/> Same as Ship to	
End User:	

*Company	

Contact Person	

Address	

*City	

*State	*Zip
_____	_____
Telephone	

Fax	

Email	

*Required Information	

BILL TO (if different from quoted address):	

Company	

Contact Person	

Address	

City	

State	Zip
_____	_____
Telephone	

Fax	

Email	

ATTACHMENT A

Outdoor

Responsible Party		Description
Daktronics	Customer	
	✓	1. Provide payment and performance Bond.
	✓	2. Secure necessary sign permits.
✓		3. Secure necessary construction permits.
	✓	4. Provide existing utility drawings.
✓		5. Generate and issue standard product attachment drawings.
✓		6. Generate and issue standard product electrical and signal drawings.
	✓	7. Provide approval of all engineering drawings, electrical drawings, shop drawings, equipment locations, color renderings, and ad copy layouts.
	✓	8. Provide soil investigation report at time of order.
	✓	9. Unobstructed access to equipment and control room installation site until display is 100%. Installation equipment (cranes, lifts, trucks, concrete trucks, etc.) are expected to have access directly to the scoreboard/structure location. No concrete pumping, concrete buggies, or crane picks over 10' distance from scoreboard structure are included.
	✓	10. Mark location of the new Equipment as delineated in the quote.
	✓	11. Locate public underground utilities.
	✓	12. Locate private underground utilities.
	✓	13. Landscaping to include all.
	✓	14. Provide camera-ready artwork for ad panels, and logos at time of order.
	✓	15. Provide all landscape protection, track, sidewalk, path, site restoration, and/or sprinkler system repair work.
✓		16. Site clean-up after Daktronics work.
✓		17. Crating and shipping of all equipment to facility via common or independent carrier.
✓		18. Accept, lift, unload, and inspect all scoring equipment and control equipment from carrier.
	✓	19. Provide storage of scoring equipment and control equipment in a safe, dry, and secure location until installation.
✓		20. Provide Equipment attachment hardware.
✓		21. Install Equipment attachment hardware.
	✓	22. Excavation of drilled pier foundation(s) including spoils removal. Placement and finishing of concrete for foundations. Note: For this quotation Daktronics basis for foundation design is a class 4 soil with a minimum allowable lateral bearing pressure of 150 psf/ft per Chapter 18 of the International Building Code (IBC). The foundation excavation is based on the excavated area remaining open without collapsing to allow the placement of applicable reinforcement and/or structural columns and concrete. This quotation does not include casings, slurry, dewatering or any other soil stabilization. In the event rock, water, differing soil conditions other than class 4 soil per Chapter 18 of the International Building Code (IBC) or unforeseen conditions are encountered, the Customer will be responsible for any additional costs, plus overhead and profit of 20%.

DAKTRONICS QUOTE # 640859-1-0 MAIN

	✓	23. Steel fabrication and erection of structural columns.
✓		24. Lift and mount Equipment listed in this quotation.
	✓	25. Provide primary power feed up to and including five (5) feet off grade on structure in the form of transformer and electrical disconnect with over current protection per all applicable electrical codes and regulations. Note: Maximum voltage of 120 volts line to neutral for all display systems.
✓		26. Provide secondary power conduits, power cable and power hook-up from the five (5) feet off grade on structure to all Daktronics supplied load centers/termination panel at/within the Equipment.
✓		27. Installation of Daktronics provided radio/wireless receiver hardware at the equipment location.
	✓	28. Provide all required building (wall/roof) penetrations for the installation of Daktronics provided wireless bridge and/or radio transmitter components at the control location. Mount Daktronics provided wireless bridge and/or radio transmitter components to the building in accordance with manufacturers recommendations. Building penetration location shall provide clear line-of-sight to the equipment. Provide all conduit, with pull string, from control location equipment to the building penetration location.
	✓	29. Provide a climate controlled and secure control room for all control systems. Normal operating temperature should be between 40° to 90° Fahrenheit (4° to 32° Celsius). Normal operating humidity should be less than 80% non-condensing. Storage temperature should be between -10° to 105° Fahrenheit (-23° to 41° Celsius). Storage humidity should be less than 95% non-condensing. Keep computers and monitors out of direct sunlight during storage. Allow control equipment taken out of storage to return to operating temperature range prior to turning it on (24 hours recommended).
	✓	30. Required power outlets on clean dedicated circuit(s) for all scoring and control equipment.
✓		31. Unpack, set-up, hook-up, and testing of control system.
✓	✓	32. Provide personnel for maintenance and operator training.
✓		33. Perform maintenance training during installation.
✓		34. Perform operator training.
✓		35. Perform final systems testing and commissioning.
	✓	36. Final acceptance, per DF-1252.
✓	✓	37. Walk-thru inspection at Substantial Completion and identification of punchlist items
✓		38. Completion of punch list items.

NOTE: All change order work performed by Daktronics or Daktronics subcontractor will be performed at cost plus 20% overhead and profit.